



Hi Tech BioSciences India Pvt. Ltd., Pune, India

CERTIFICATE OF ANALYSIS

Date	14.08.2026	COA no.	HTPR26143
Product Name	<i>Bacillus subtilis</i>	Batch Size	2.1 kg
Batch no.	HRD26143	Page no.	Page 1 of 1
Date	07 Aug 2026		
Expiry Date	36 months from mfg. date (when stored in cool and dry place at NMT 25°C and < 60 % RH and away from heat and direct sunlight and in sealed original packing)		

S.N.	Test	Specifications	Results
1	Description	Light gray to gray coloured, free flowing powder with occasional black specks and characteristic odour	Light gray coloured, free flowing powder with occasional black specks and characteristic odour
2	Loss on drying	NMT 5 %	2.70
3	Content of <i>Bacillus subtilis</i>	NLT 100 B cfu/g	115
4	Total Combined Yeast and Molds Count (TYMC)	NMT 100 cfu/g	< 10
5	Specified microorganism		
a	<i>Escherichia coli</i>	should be absent	Passes the test
b	<i>Salmonella species</i>	should be absent	Passes the test
c	<i>Pseudomonas aeruginosa</i>	should be absent	Passes the test
d	<i>Staphylococcus aureus</i>	should be absent	Passes the test

NLT: not less than; NMT; not more than; B: billion; cfu: colony forming unit

Remark: passes as per the given specifications

	Analysed By	Checked By	Approved By
Sign/Date	<u>Petli</u> 14/08/2026	<u>Harish</u> 14/08/2026	<u>Sanjay</u> 14/08/2026